



Dynapac DRP25D


Plate compactors





Technical data

 Masses	
Basic mass	257 kg
Operating mass	260 kg

 Traction	
Max. gradeability	32 %
Max. working speed	27 m/min

 Compaction	
Frequency	80 Hz
Centrifugal force	40 kN
Amplitude	1.4 mm

 Engine	
Manufacturer/Model	Hatz 1B 20
Emissions according to	non EPA
Type	Air cooled diesel
Number of cylinders	1
Fuel consumption /h, avg.	0.7 l
Fuel tank capacity	3.0 l
Power	3.1 kW @ 3000 rpm

 Drive system	
Drive system	Mechanical

Find us locally at www.dynapac.com


We reserve the right to change specifications without notice. Photos and illustrations do not always show standard versions of machines. The above information is a general description only, all informations are supplied without liability.

Dynapac DRP25D

Plate compactors



Technical data



Dimensions

H. Height	688 mm
H1. Height, steering rod (lowered)	820 mm
H2. Height, steering rod (raised)	1220 mm
L. Length	1510 mm
L1. Length	762 mm
W. Basic plate width	600 mm



Standard equipment

- Durable base plate
- One lever control
- Low vibration steering rod adjustable in height
- Steering rod lock in transport and working position
- Vibration and throttle regulation on the steering rod
- All around protection hood
- All around protection for V-belt
- Automatic decompression
- Recoil starter



Optional equipment

- Electric starter and hour meter (+20 kg)
- Transport wheels (+5 kg)
- Plastic mat
- Service Kit

Find us locally at www.dynapac.com

We reserve the right to change specifications without notice. Photos and illustrations do not always show standard versions of machines. The above information is a general description only, all informations are supplied without liability.